

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

3
Pipes

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION		
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE	
1/8"	3	10.29	0.068	1.73	6.8	0.24	0.4	STD	40	
			0.095	2.41	5.5	0.31	0.5	XS	80	
			0.119	3.02	7.7	0.54	0.8	XS	80	
1/4"	6	13.72	0.088	2.24	9.2	0.42	0.6	STD	40	
			0.119	3.02	7.7	0.54	0.8	XS	80	
			0.126	3.20	10.7	0.74	1.1	XS	80	
3/8"	10	17.10	0.091	2.31	12.5	0.54	0.8	STD	40	
			0.126	3.20	10.7	0.74	1.1	XS	80	
			0.147	3.73	13.8	1.08	1.6	XS	80	
1/2"	15	21.30	0.109	2.77	15.8	0.87	1.3	STD	40	
			0.147	3.73	13.8	1.08	1.6	XS	80	
			0.188	4.78	11.7	1.34	2.0		160	
			0.294	7.47	6.4	1.75	2.6	XXS		
3/4"	20	26.67	0.113	2.87	21.0	1.14	1.7	STD	40	
			0.154	3.91	18.9	1.48	2.2	XS	80	
			0.219	5.56	15.6	1.95	2.9		160	
			0.308	7.82	11.1	2.42	3.6	XXS		
1"	25	33.40	0.133	3.38	26.6	1.68	2.5	STD	40	
			0.179	4.55	24.3	2.15	3.2	XS	80	
			0.250	6.35	20.7	2.82	4.2		160	
			0.358	9.09	15.2	3.70	5.5	XXS		
1-1/4"	32	42.16	0.140	3.56	35.1	2.27	3.4	STD	40	
			1.280	32.50	4.5	3.00	4.5	XS	80	
			1.161	29.50	5.6	3.76	5.6		160	
			0.382	9.70	22.8	5.21	7.8	XXS		
1-1/2"	40	48.26	0.145	3.68	40.9	2.72	4.1	STD	40	
			0.200	5.08	38.1	3.63	5.4	XS	80	
			0.281	7.14	34.0	4.86	7.2		160	
			0.400	10.15	28.0	6.41	9.5	XXS		
2"	50	60.30	0.065	1.65	57.0	1.61	2.4		5	
			0.083	2.11	56.1	2.02	3.0			
			0.109	2.77	54.8	2.62	3.9		10	
			0.125	3.18	53.9	3.03	4.5		30	
			0.141	3.58	53.1	3.36	5.0			
			0.154	3.91	52.5	3.63	5.4	STD	40	
			0.172	4.37	51.6	4.03	6.0			
			0.188	4.78	50.7	4.37	6.5			
			0.218	5.54	49.2	5.04	7.5	XS	80	
			0.250	6.35	47.6	5.71	8.5			
			0.281	7.14	46.0	6.32	9.4			
2-1/2"	65	73.03	0.344	8.74	42.8	7.46	11.1		160	
			0.436	11.07	38.2	9.01	13.4	XXS		
			0.083	2.11	68.8	2.49	3.7		5	
			0.109	2.77	67.5	3.23	4.8			
			0.120	3.05	66.9	3.56	5.3		10	
			0.125	3.18	66.7	3.70	5.5			
			0.141	3.58	65.8	4.10	6.1			
			0.156	3.96	65.1	4.50	6.7			
			0.172	4.37	64.3	4.97	7.4			
			0.188	4.78	63.4	5.38	8.0		30	
			0.203	5.16	62.7	5.78	8.6	STD	40	

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		INDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS:XXS	SCHEDULE
3"	80	88.90	0.216	5.49	62.0	6.12	9.1		
			0.250	6.35	60.3	6.99	10.4		
			0.276	7.01	59.0	7.66	11.4	XS	80
			0.375	9.53	54.0	10.02	14.9		160
			0.552	14.02	45.0	13.71	20.4	XXS	
			0.083	2.11	84.7	3.03	4.5		5
			0.109	2.77	83.4	3.97	5.9		
			0.120	3.05	82.8	4.37	6.5		10
			0.125	3.18	82.6	4.50	6.7		
			0.141	3.58	81.7	5.04	7.5		
3-1/2"	90	101.60	0.156	3.96	81.0	5.58	8.3		
			0.172	4.37	80.2	6.12	9.1		
			0.188	4.78	79.3	6.66	9.9		30
			0.216	5.49	77.9	7.60	11.3	STD	40
			0.250	6.35	76.2	8.67	12.9		
			0.281	7.14	74.6	9.68	14.4		
			0.300	7.62	73.7	10.29	15.3	XS	80
			0.438	11.13	66.6	14.39	21.4		160
			0.600	15.24	58.4	18.62	27.7	XXS	
			0.083	2.11	97.4	3.50	5.2		5
4"	100	114.30	0.109	2.77	96.1	4.57	6.8		
			0.120	3.05	95.5	4.97	7.4		10
			0.125	3.18	95.3	5.18	7.7		
			0.141	3.58	94.4	5.85	8.7		
			0.156	3.96	93.7	6.39	9.5		
			0.172	4.37	92.9	7.06	10.5		
			0.188	4.78	92.0	7.66	11.4		30
			0.226	5.74	90.1	9.14	13.6	STD	40
			0.250	6.35	88.9	10.02	14.9		
			0.281	7.14	87.3	11.16	16.6		
4"	100	114.30	0.318	8.08	85.4	12.50	18.6	XS	80
			0.083	2.11	110.1	3.90	5.8		5
			0.109	2.77	108.8	5.11	7.6		
			0.120	3.05	108.2	5.65	8.4		10
			0.125	3.18	108.0	5.85	8.7		
			0.141	3.58	107.1	6.59	9.8		
			0.156	3.96	106.4	7.26	10.8		
			0.172	4.37	105.6	8.00	11.9		
			0.188	4.78	104.7	8.67	12.9		30
			0.203	5.16	104.0	9.34	13.9		
4"	100	114.30	0.219	5.56	103.2	10.02	14.9		
			0.237	6.02	102.3	10.82	16.1	STD	40
			0.250	6.35	101.6	11.36	16.9		
			0.281	7.14	100.0	12.71	18.9		
			0.312	7.92	98.5	13.98	20.8		
			0.337	8.56	97.2	14.99	22.3	XS	80
			0.438	11.13	92.0	19.03	28.3		120
			0.531	13.49	87.3	22.52	33.5		160

3 Pipes

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

3 Pipes

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS:XXS	SCHEDULE
5"	125	141,30	0.674	17,12	80.1	27.56	41.0	XXS	
			0.083	2.11	137.1	4.84	7.2		
			0.109	2.77	135.8	6.39	9.5		5
			0.125	3.18	135.0	7.26	10.8		
			0.134	3.40	134.5	7.80	11.6		10
			0.156	3.96	133.4	9.01	13.4		
			0.188	4.78	131.7	10.82	16.1		
			0.219	5.56	130.2	12.50	18.6		
			0.258	6.55	128.2	14.66	21.8	STD	40
			0.281	7.14	127.0	15.87	23.6		
			0.312	7.92	125.5	17.55	26.1		
			0.344	8.74	123.8	19.23	28.6		
			0.375	9.53	122.3	20.84	31.0	XS	80
			0.500	12.70	115.9	27.09	40.3		120
6"	150	168,28	0.625	15,88	109.6	33.01	49.1		160
			0.750	19,05	103.2	38.59	57.4	XXS	
			0.083	2.11	164.1	5.85	8.7		
			0.109	2.77	162.8	7.60	11.3		
			0.125	3.18	162.0	8.74	13.0		
			0.134	3.40	161.5	9.28	13.8		10
			0.141	3.58	161.1	9.75	14.5		
			0.156	3.96	160.4	10.82	16.1		
			0.172	4.37	159.6	11.90	17.7		
			0.188	4.78	158.7	12.97	19.3		
			0.203	5.16	158.0	13.98	20.8		
			0.219	5.56	157.2	14.99	22.3		
			0.250	6.35	155.6	16.47	24.5		
			0.280	7.11	154.1	19.03	28.3	STD	40
8"	200	219,08	0.312	7.92	152.5	21.04	31.3		
			0.344	8.74	150.8	23.13	34.4		
			0.375	9.53	149.3	25.08	37.3		
			0.432	10.97	146.4	28.64	42.6	XS	80
			0.500	12.70	142.9	32.74	48.7		
			0.562	14.27	139.8	36.44	54.2		120
			0.625	15.88	136.6	40.13	59.7		
			0.719	18,26	131.8	45.45	67.6		160
			0.750	19,05	130.2	47.13	70.1		
			0.864	21,95	124.4	53.24	79.2	XXS	
			0.875	22,23	123.8	53.85	80.1		
			0.109	2.77	213.6	9.95	14.8		5
			0.125	3.18	212.8	11.36	16.9		
			0.148	3.76	211.6	13.45	20.0		10
0.156	3.96	211.2	14.12	21.0					
0.188	4.78	209.5	17.01	25.3					
0.203	5.16	208.8	18.29	27.2					
0.219	5.56	208.0	19.70	29.3					
0.250	6.35	206.4	22.39	33.3					
0.277	7.04	205.0	24.74	36.8		30			

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		INDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS:XXS	SCHEDULE
			0.312	7.92	203.3	27.70	41.2		
			0.322	8.18	202.7	28.64	42.6	STD	40
			0.344	8.74	201.6	30.45	45.3		
			0.375	9.53	200.1	33.14	49.3		
			0.406	10.31	198.5	35.70	53.1		60
			0.438	11.13	196.8	38.39	57.1		
			0.500	12.70	193.7	43.43	64.6	xs	80
			0.562	14.27	190.6	48.47	72.1		
			0.594	15.09	188.9	51.03	75.9		100
			0.625	15.88	187.4	53.51	79.6		
			0.719	18.26	182.6	60.77	90.4		120
			0.750	19.05	181.0	63.19	94.0		
			0.812	20.62	177.9	67.83	100.9		140
			0.875	22.23	174.7	72.54	107.9	XXS	
			0.906	23.01	173.1	74.82	111.3		
			1.000	25.40	168.3	81.55	121.3		
10"	250	273.05	0.134	3.40	266.2	15.19	22.6		5
			0.156	3.96	265.1	17.68	26.3		
			0.165	4.19	264.6	18.69	27.8		
			0.188	4.78	263.4	21.24	31.6		
			0.203	5.16	262.7	22.92	34.1		
			0.219	5.56	261.9	24.67	36.7		
			0.250	6.35	260.3	28.10	41.8		20
			0.279	7.09	258.8	31.26	46.5		
			0.307	7.80	257.4	34.29	51.0		30
			0.344	8.74	255.5	38.32	57.0		
			0.365	9.27	254.5	40.54	60.3	STD	40
			0.438	11.13	250.7	48.34	71.9		
			0.500	12.70	247.6	54.86	81.6	XS	60
			0.562	14.27	244.5	61.24	91.1		
			0.594	15.09	242.8	64.54	96.0		80
			0.625	15.88	241.3	67.70	100.7		
			0.719	18.26	236.5	77.18	114.8		100
			0.812	20.62	231.8	86.32	128.4		
			0.844	21.44	230.1	89.48	133.1		120
			0.875	22.23	228.5	92.44	137.5		
			0.938	23.83	255.3	98.49	146.5		
			1.000	25.40	222.2	104.34	155.2	XXS	140
			1.125	28.58	215.9	115.83	172.3		160
			1.250	31.75	209.5	127.06	189.0		
12"	300	323.85	0.156	3.96	315.9	21.04	31.3		5
			0.172	4.37	315.1	23.13	34.4		
			0.180	4.57	314.7	24.20	36.0		
			0.188	4.78	314.2	25.28	37.6		
			0.203	5.16	313.5	27.29	40.6		
			0.344	8.74	306.3	45.65	67.9		
			0.375	9.53	304.7	49.68	73.9	STD	
			0.406	10.31	303.2	53.58	79.7		40

3 Pipes

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

3
Pipes

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE
			0.500	12.70	298.4	65.55	97.5	XS	
			0.562	14.27	295.3	73.28	109.0		60
			0.625	15.88	292.1	81.08	120.6		
			0.688	17.48	288.8	88.81	132.1		80
			0.750	19.05	285.7	96.27	143.2		
			0.812	20.62	282.6	103.66	154.2		
			0.844	21.44	280.9	107.50	159.9		100
			0.875	22.23	279.4	111.19	165.4		
			0.938	23.83	276.1	118.52	176.3		
			1.000	25.40	273.0	125.71	187.0	XXS	120
			1.062	26.97	269.9	132.77	197.5		
			1.125	28.58	266.7	139.90	208.1		140
			1.250	31.75	260.3	153.75	228.7		
			1.312	33.32	257.2	160.54	238.8		160
14"	350	355.60	0.156	3.96	347.7	23.13	34.4		5
			0.188	4.78	346.0	27.83	41.4		
			0.203	5.16	345.3	29.98	44.6		
			0.210	5.33	344.9	30.92	46.0		
			0.219	5.56	344.5	32.27	48.0		
			0.250	6.35	342.9	36.77	54.7		10
			0.281	7.14	341.3	41.28	61.4		
			0.312	7.92	339.8	45.65	67.9		20
			0.344	8.74	338.1	50.29	74.8		
			0.375	9.53	336.6	54.66	81.3	STD	30
			0.406	10.31	335.0	59.03	87.8		
			0.438	11.13	333.3	63.60	94.6		40
			0.469	11.91	331.8	67.83	100.9		
			0.500	12.70	330.2	72.20	107.4	XS	
			0.562	14.27	327.1	80.74	120.1		
			0.594	15.09	325.4	85.18	126.7		60
			0.625	15.88	323.9	89.41	133.0		
			0.688	17.48	320.6	98.02	145.8		
			0.750	19.05	317.5	106.29	158.1		80
			0.812	20.62	314.4	114.49	170.3		
			0.875	22.23	311.2	122.89	182.8		
			0.938	23.83	307.9	131.09	195.0		
			1.000	25.40	304.8	139.03	206.8		
			1.062	26.97	301.7	146.96	218.6		
			1.094	27.79	300.0	151.06	224.7		120
			1.125	28.58	298.4	154.96	230.5		
			1.250	31.75	292.1	170.49	253.6		140
			1.406	35.71	284.2	189.38	281.7		160
			2.000	50.80	254.0	256.67	381.8		
			2.125	53.98	247.7	269.92	401.5		
			2.200	55.88	243.8	277.65	413.0		
			2.500	63.50	228.6	307.50	457.4		
16"	400	406.40	0.165	4.19	398.0	27.97	41.6		5
			0.188	4.78	396.8	31.80	47.3		

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		INDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE
			0.203	5.16	396.1	34.35	51.1		
			0.219	5.56	395.3	36.97	55.0		
			0.250	6.35	393.7	42.08	62.6		
			0.281	7.14	392.1	47.26	70.3		
			0.312	7.92	390.6	52.30	77.8		20
			0.344	8.74	388.9	57.61	85.7		
			0.375	9.53	387.4	62.72	93.3	STD	30
			0.406	10.31	385.8	67.70	100.7		
			0.438	11.13	384.1	72.94	108.5		
			0.469	11.91	382.6	77.92	115.9		
			0.500	12.70	381.0	82.89	123.3	XS	40
			0.562	14.27	377.9	92.77	138.0		
			0.625	15.88	374.7	102.79	152.9		
			0.656	16.66	373.1	107.63	160.1		60
			0.688	17.48	371.4	112.74	167.7		
			0.750	19.05	368.3	122.35	182.0		
			0.812	20.62	365.2	131.90	196.2		
			0.844	21.44	363.5	136.81	203.5		80
			0.875	22.23	362.0	141.58	210.6		
			0.938	23.83	358.7	151.13	224.8		
			1.000	25.40	355.6	160.40	238.6		
			1.031	26.19	354.0	165.11	245.6		
			1.062	26.97	352.5	169.68	252.4		
			1.125	28.58	349.3	179.03	266.3		
			1.188	30.18	346.0	188.24	280.0		
			1.219	30.96	344.5	192.67	286.6		120
			1.250	31.75	342.9	197.18	293.3		
			1.438	36.53	333.3	224.00	333.2		140
			1.594	40.49	325.4	245.65	365.4		160
18"	450	457.20	0.165	4.19	448.6	31.46	46.8		5
			0.188	4.78	447.4	35.83	53.3		
			0.219	5.56	445.9	41.61	61.9		
			0.250	6.35	444.3	47.46	70.6		10
			0.281	7.14	442.7	53.24	79.2		
			0.312	7.92	441.2	59.03	87.8		20
			0.344	8.74	439.5	64.94	96.6		
			0.375	9.53	438.0	70.72	105.2	STD	
			0.406	10.31	436.4	76.37	113.6		
			0.438	11.13	434.7	82.29	122.4		30
			0.469	11.91	433.2	87.87	130.7		
			0.500	12.70	431.6	93.58	139.2	XS	
			0.562	14.27	428.5	104.74	155.8		40
			0.625	15.88	425.3	116.10	172.7		
			0.688	17.48	422.0	127.39	189.5		
			0.750	19.05	418.9	138.29	205.7		60
			0.812	20.62	415.8	149.18	221.9		
			0.875	22.23	412.6	160.20	238.3		
			0.938	23.83	409.3	171.16	254.6		80

3 Pipes

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm³

3
Pipes

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE
			1.000	25.40	406.2	181.71	270.3		
			1.062	26.97	403.1	192.27	286.0		
			1.125	28.58	399.9	202.96	301.9		
			1.156	29.36	398.3	208.13	309.6		100
			1.188	30.18	396.7	213.58	317.7		
			1.250	31.75	393.5	223.87	333.0		
			1.375	34.93	387.2	244.44	363.6		120
			1.562	39.67	377.7	274.49	408.3		140
			1.781	45.24	366.5	308.84	459.4		160
20"	500	508.00	0.188	4.78	498.4	39.87	59.3		5
			0.219	5.56	496.9	46.32	68.9		
			0.250	6.35	495.3	52.84	78.6		
			0.281	7.14	493.7	59.29	88.2		
			0.312	7.92	492.2	65.68	97.7		
			0.344	8.74	490.5	72.34	107.6		
			0.375	9.53	489.0	78.79	117.2	STD	20
			0.406	10.31	487.4	85.04	126.5		
			0.438	11.13	485.7	91.70	136.4		
			0.469	11.91	484.2	97.95	145.7		
			0.500	12.70	482.6	104.27	155.1	XS	30
			0.562	14.27	479.5	116.77	173.7		
			0.594	15.09	477.8	123.29	183.4		40
			0.625	15.88	476.3	129.55	192.7		
			0.688	17.48	473.0	142.12	211.4		
			0.750	19.05	469.9	154.42	229.7		
			0.812	20.62	466.8	166.59	247.8		60
			0.875	22.23	463.6	179.03	266.3		
			0.938	23.83	460.3	191.26	284.5		
			1.000	25.40	457.2	203.23	302.3		
			1.031	26.19	455.6	209.21	311.2		
			1.062	26.97	454.1	215.06	319.9		
			1.125	28.58	450.9	227.16	337.9		
			1.188	30.18	447.7	239.06	355.6		
			1.250	31.75	444.5	250.69	372.9		
			1.281	32.54	442.9	256.47	381.5		100
			1.312	33.32	441.4	262.18	390.0		
			1.375	34.93	438.2	273.95	407.5		
			1.500	38.10	431.8	296.81	441.5		120
			1.750	44.45	419.1	341.58	508.1		140
			1.969	50.01	408.0	379.70	564.8		160
22"	550	558.80	0.188	4.78	549.4	43.83	65.2		5
			0.219	5.56	547.9	51.03	75.9		
			0.250	6.35	546.3	58.15	86.5		10
			0.281	7.14	544.7	65.34	97.2		
			0.312	7.92	543.2	72.34	107.6		
			0.344	8.74	541.5	79.73	118.6		
			0.375	9.53	540.0	86.79	129.1	STD	20
			0.406	10.31	538.4	93.78	139.5		

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		INDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS:XXS	SCHEDULE
			0.438	11.13	536.7	101.11	150.4		
			0.469	11.91	535.2	108.03	160.7		
			0.500	12.70	533.6	115.03	171.1	XS	30
			0.562	14.27	530.5	128.87	191.7		
			0.625	15.88	527.3	142.99	212.7		
			0.688	17.48	524.0	156.91	233.4		
			0.750	19.05	520.9	170.55	253.7		
			0.812	20.62	517.8	184.07	273.8		
			0.875	22.23	514.6	197.85	294.3		60
			0.938	23.83	511.3	211.43	314.5		
			1.000	25.40	508.2	224.67	334.2		
			1.062	26.97	505.1	237.85	353.8		
			1.125	28.58	501.9	251.29	373.8		80
			1.188	30.18	498.6	264.61	393.6		
			1.250	31.75	495.5	277.51	412.8		
			1.312	33.32	492.4	290.35	431.9		
			1.375	34.93	489.2	303.46	451.4		
			1.438	36.53	485.9	316.44	470.7		
			1.500	38.10	482.8	329.01	489.4		
			1.625	41.28	476.5	354.29	527.0		120
			1.875	47.63	463.8	403.76	600.6		140
			2.125	53.98	451.1	451.97	672.3		160
24"	600	609.60	0.218	5.54	599.0	55.46	82.5		5
			0.250	6.35	597.3	63.53	94.5		10
			0.281	7.14	595.7	71.39	106.2		
			0.312	7.92	594.2	79.06	117.6		
			0.344	8.74	592.5	87.13	129.6		
			0.375	9.53	591.0	94.86	141.1	STD	20
			0.406	10.31	589.4	102.52	152.5		
			0.438	11.13	587.7	110.52	164.4		
			0.469	11.91	586.2	118.12	175.7		
			0.500	12.70	584.6	125.78	187.1	XS	
			0.562	14.27	581.5	140.91	209.6		30
			0.625	15.88	578.3	156.44	232.7		
			0.688	17.48	575.0	171.70	255.4		
			0.750	19.05	571.9	186.62	277.6		
			0.812	20.62	568.8	201.48	299.7		
			0.875	22.23	565.6	216.61	322.2		
			0.938	23.83	562.3	231.60	344.5		
			0.969	24.61	560.8	238.86	355.3		60
			1.000	25.40	559.2	246.18	366.2		
			1.062	26.97	556.1	260.71	387.8		
			1.125	28.58	552.9	275.50	409.8		
			1.188	30.18	549.6	290.08	431.5		
			1.219	30.96	548.1	297.21	442.1		
			1.250	31.75	546.5	304.34	452.7		
			1.312	33.32	543.4	318.52	473.8		
			1.375	34.93	540.2	333.04	495.4		

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

3 Pipes

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE
26"	650	660,40	1.437	36,50	537,0	347,43	516,8		
			1.500	38,10	533,8	361,21	537,3		
			1.531	38,89	532,2	368,20	547,7		100
			1.562	39,67	530,7	374,72	557,4		
			1.812	46,02	518,0	430,25	640,0		120
			2.062	52,37	505,3	484,17	720,2		140
			2.344	59,54	490,9	543,33	808,2		160
			0.250	6,35	647,3	68,84	102,4		
			0.281	7,14	645,7	77,31	115,0		
			0.312	7,92	644,2	85,65	127,4		10
26"	650	660,40	0.344	8,74	642,5	94,39	140,4		
			0.375	9,53	641,0	102,79	152,9	STD	
			0.406	10,31	639,4	111,06	165,2		
			0.438	11,13	637,7	119,73	178,1		
			0.469	11,91	636,2	127,93	190,3		
			0.500	12,70	634,6	136,27	202,7	XS	20
			0.562	14,27	631,5	152,74	227,2		
			0.625	15,88	628,3	169,55	252,2		
			0.688	17,48	625,0	186,22	277,0		
			0.750	19,05	621,9	202,42	301,1		
28"	700	711,20	0.812	20,62	618,8	218,55	325,1		
			0.875	22,23	615,6	235,03	349,6		
			0.938	23,83	612,3	251,29	373,8		
			1.000	25,40	609,2	267,23	397,5		
			0.250	6,35	698,3	74,15	110,3		
			0.281	7,14	696,7	83,29	123,9		
			0.312	7,92	695,2	92,30	137,3		10
			0.344	8,74	693,5	101,78	151,4		
			0.375	9,53	692,0	110,86	164,9	STD	
			0.406	10,31	690,4	119,80	178,2		
28"	700	711,20	0.438	11,13	688,7	129,14	192,1		
			0.469	11,91	687,2	138,02	205,3		
			0.500	12,70	685,6	147,03	218,7	XS	20
			0.562	14,27	682,5	164,84	245,2		
			0.625	15,88	679,3	182,32	271,2		30
			0.688	17,48	676,0	201,01	299,0		
			0.750	19,05	672,9	218,55	325,1		
			0.812	20,62	669,8	236,03	351,1		
			0.875	22,23	666,6	253,85	377,6		
			0.938	23,83	663,3	271,46	403,8		
30"	750	762,00	1.000	25,40	660,2	288,67	429,4		
			0.250	6,35	749,3	79,53	118,3		5
			0.281	7,14	747,7	89,34	132,9		
			0.312	7,92	746,2	99,03	147,3		
			0.344	8,74	744,5	109,18	162,4		
			0.375	9,53	743,0	118,86	176,8	STD	
			0.406	10,31	741,4	128,47	191,1		
0.438	11,13	739,7	138,55	206,1					

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm³

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		INDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE
			0.469	11.91	738.2	148.10	220.3		
			0.500	12.70	736.6	157.78	234.7	XS	20
			0.562	14.27	733.5	176.87	263.1		
			0.625	15.88	730.3	196.44	292.2		30
			0.688	17.48	727.0	215.73	320.9		
			0.750	19.05	723.9	264.87	394.0		
			0.812	20.62	720.8	253.45	377.0		
			0.875	22.23	717.6	272.61	405.5		
			0.938	23.83	714.3	291.63	433.8		
			1.000	25.40	711.2	310.18	461.4		
			1.062	26.97	708.1	328.67	488.9		
			1.125	28.58	704.8	347.50	516.9		
			1.188	30.18	701.6	366.18	544.7		
			1.250	31.75	698.5	384.40	571.8		
32"	800	812.80	0.250	6.35	800.3	84.91	126.3		
			0.281	7.14	798.7	95.39	141.9		
			0.312	7.92	797.2	105.68	157.2		10
			0.344	8.74	795.5	116.50	173.3		
			0.375	9.53	794.0	126.92	188.8		
			0.406	10.31	792.4	137.21	204.1		
			0.438	11.13	790.7	147.97	220.1		
			0.469	11.91	789.2	158.18	235.3		
			0.500	12.70	787.6	168.47	250.6	XS	20
			0.562	14.27	784.5	188.97	281.1		
			0.625	15.88	781.3	209.88	312.2		30
			0.688	17.48	778.0	230.52	342.9		40
			0.750	19.05	774.9	250.76	373.0		
			0.812	20.62	771.8	270.86	402.9		
			0.875	22.23	768.6	291.43	433.5		
			0.938	23.83	765.3	311.80	463.8		
			1.000	25.40	762.2	331.63	493.3		
			1.062	26.97	759.1	351.46	522.8		
			1.125	28.58	755.8	371.70	552.9		
			1.188	30.18	752.6	391.66	582.6		
			1.250	31.75	749.5	411.23	611.7		
34"	850	863.60	0.250	6.35	851.3	90.29	134.3		
			0.281	7.14	849.7	101.45	150.9		
			0.312	7.92	848.2	112.40	167.2		
			0.344	8.74	846.5	123.90	184.3		
			0.375	9.53	845.0	134.66	200.3	STD	
			0.406	10.31	843.4	145.95	217.1		
			0.438	11.13	841.7	157.38	234.1		
			0.469	11.91	840.2	168.27	250.3		
			0.500	12.70	838.6	179.23	266.6	XS	20
			0.562	14.27	835.5	201.01	299.0		
			0.625	15.88	832.3	223.26	332.1		30
			0.688	17.48	829.0	245.31	364.9		40
			0.750	19.05	825.9	266.82	396.9		

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

3
Pipes

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE
			0.812	20.62	822.8	288.34	428.9		
			0.875	22.23	819.6	310.25	461.5		
			0.938	23.83	816.3	331.90	493.7		
			1.000	25.40	813.2	353.14	525.3		
			1.062	26.97	810.1	374.25	556.7		
			1.125	28.58	806.8	395.83	588.8		
			1.188	30.18	803.6	417.21	620.6		
			1.250	31.75	800.5	438.05	651.6		
36"	900	914.40	0.250	6.35	901.3	95.53	142.1		
			0.281	7.14	899.7	107.36	159.7		
			0.312	7.92	898.2	118.99	177.0		10
			0.344	8.74	896.5	131.16	195.1		
			0.375	9.53	895.0	142.92	212.6	STD	
			0.406	10.31	893.4	154.49	229.8		
			0.438	11.13	891.7	166.25	247.3		
			0.469	11.91	890.2	178.08	264.9		
			0.500	12.70	888.6	189.78	282.3	XS	20
			0.562	14.27	885.5	212.50	316.1		
			0.625	15.88	882.3	236.44	351.7		30
			0.688	17.48	879.0	259.83	386.5		
			0.750	19.05	875.9	282.62	420.4		40
			0.812	20.62	872.8	305.41	454.3		
			0.875	22.23	869.6	328.67	488.9		
			0.938	23.83	866.3	351.66	523.1		
			1.000	25.40	863.2	374.18	556.6		
			1.062	26.97	860.1	396.64	590.0		
			1.125	28.58	856.8	419.50	624.0		
			1.188	30.18	853.6	442.22	657.8		
			1.250	31.75	850.5	464.40	690.8		
38"	950	965.20	0.312	7.92	949.1	125.65	186.9		
			0.344	8.74	947.5	138.55	206.1		
			0.375	9.53	945.9	150.92	224.5		
			0.406	10.31	944.4	163.16	242.7		
			0.438	11.13	942.7	176.00	261.8		
			0.469	11.91	941.2	188.17	279.9		
			0.500	12.70	939.6	200.47	298.2		
			0.562	14.27	936.5	224.94	334.6		
			0.625	15.88	933.2	249.88	371.7		
			0.688	17.48	930.0	274.55	408.4		
			0.750	19.05	926.9	298.76	444.4		
			0.812	20.62	923.8	322.82	480.2		
			0.875	22.23	920.5	347.43	516.8		
			0.938	23.83	917.3	371.83	553.1		
			1.000	25.40	914.2	395.63	588.5		
40"	1000	1 016.00	0.312	7.92	1 000.2	132.37	196.9		
			0.344	8.74	998.5	145.95	217.1		
			0.375	9.53	996.9	158.99	236.5		
			0.406	10.31	995.4	171.90	255.7		

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm3

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS:XXS	SCHEDULE
			0.438	11.13	993.7	185.41	275.8		
			0.469	11.91	992.2	198.18	294.8		
			0.500	12.70	990.6	211.23	314.2		
			0.562	14.27	987.5	236.97	352.5		
			0.625	15.88	984.2	263.33	391.7		
			0.688	17.48	981.0	289.34	430.4		
			0.750	19.05	977.9	314.82	468.3		
			0.812	20.62	974.8	340.24	506.1		
			0.875	22.23	971.5	366.25	544.8		
			0.938	23.83	968.3	392.00	583.1		
			1.000	25.40	965.2	417.14	620.5		
42"	1050	1 066.80	0.344	8.74	1 049.6	153.28	228.0		
			0.375	9.53	1 048.0	166.72	248.0		
			0.406	10.31	1 046.4	180.84	269.0		
			0.438	11.13	1 044.8	194.96	290.0		
			0.469	11.91	1 043.2	208.40	310.0		
			0.500	12.70	1 041.6	221.85	330.0		
			0.562	14.27	1 038.4	248.74	370.0		
			0.625	15.88	1 035.2	276.30	411.0		
			0.688	17.48	1 032.0	303.87	452.0		
			0.750	19.05	1 029.0	330.76	492.0		
			0.812	20.62	1 025.8	357.65	532.0		
			0.875	22.23	1 022.6	384.54	572.0		
			0.938	23.83	1 019.4	413.45	615.0		
			1.000	25.40	1 016.2	438.32	652.0		
44"	1100	1 117.60	0.344	8.74	1 150.6	160.67	239.0		
			0.375	9.53	1 149.0	174.79	260.0		
			0.406	10.31	1 147.4	189.58	282.0		
			0.438	11.13	1 145.8	204.37	304.0		
			0.469	11.91	1 144.2	218.49	325.0		
			0.500	12.70	1 142.6	232.61	346.0		
			0.562	14.27	1 139.4	260.84	388.0		
			0.625	15.88	1 136.2	289.75	431.0		
			0.688	17.48	1 133.0	318.66	474.0		
			0.750	19.05	1 130.0	346.89	516.0		
			0.812	20.62	1 126.8	375.13	558.0		
			0.875	22.23	1 123.6	403.36	600.0		
			0.938	23.83	1 120.4	432.27	643.0		
			1.000	25.40	1 117.2	459.83	684.0		
46"	1150	1 168.40	0.344	8.74	1 140.6	168.07	250.0		
			0.375	9.53	1 139.0	182.86	272.0		
			0.406	10.31	1 137.4	197.65	294.0		
			0.438	11.13	1 135.8	213.11	317.0		
			0.469	11.91	1 134.2	228.57	340.0		
			0.500	12.70	1 132.6	243.36	362.0		
			0.562	14.27	1 129.4	272.94	406.0		
			0.625	15.88	1 126.2	303.19	451.0		
			0.688	17.48	1 123.0	333.45	496.0		

3 Pipes

DIMENSIONS AND WEIGHTS

OF SEAMLESS AND WELDED PIPES ACC TO ANSI B36.10 / ANSI B36.19 INCLUDING DIMENSIONS TO API 5L

Weights refer to Carbon Steel. Density = 7.8 kg/dm³

SIZE [inch]	OUTSIDE DIAMETER		WALL THICKNESS		INNER DIAMETER [mm]	WEIGHT		IDENTIFICATION	
	[DN]	[mm]	[inch]	[mm]		[lb/ft]	[kg/m]	STD XS;XXS	SCHEDULE
48"	1200	1 219.20	0.750	19,05	1 120.0	363.03	540.0		
			0.812	20,62	1 116.8	392.61	584.0		
			0.875	22,23	1 113.6	422.18	628.0		
			0.938	23,83	1 110.4	451.76	672.0		
			1.000	25,40	1 107.2	481.34	716.0		
			0.344	8,74	1 201.6	175.46	261.0		
			0.375	9,53	1 200.0	190.92	284.0		
			0.406	10,31	1 198.4	206.39	307.0		
			0.438	11,13	1 196.8	222.52	331.0		
			0.469	11,91	1 195.2	238.66	355.0		
			0.500	12,70	1 193.6	254.12	378.0		
			0.562	14,27	1 190.4	285.04	424.0		
			0.625	15,88	1 187.2	316.64	471.0		
			0.688	17,48	1 184.0	348.24	518.0		
			0.750	19,05	1 181.0	379.16	564.0		
			0.812	20,62	1 177.8	410.08	610.0		
			0.875	22,23	1 174.6	441.01	656.0		
0.938	23,83	1 171.4	471.93	702.0					
1.000	25,40	1 168.2	502.86	748.0					